

This is a work of the United States Government. In accordance with 17 U.S.C. 105, no copyright protection is available for such works under U.S. Law. Access to this work was provided by the University of Maryland, Baltimore County (UMBC) ScholarWorks@UMBC digital repository on the Maryland Shared Open Access (MD-SOAR) platform.

Please provide feedback

Please support the ScholarWorks@UMBC repository by emailing scholarworks-group@umbc.edu and telling us what having access to this work means to you and why it's important to you. Thank you.

Information content analysis of aerosol layer height from multi-angle polarized measurements in oxygen A and B bands

Xi Chen^{a,*}, Xiaoguang Xu^b, Jun Wang^a, and David J. Diner^c

^aDepartment of Chemical and Biochemical Engineering, 4133 Seamans Center, Iowa City, IA 52242-1503, USA

^bJoint Center for Earth Systems Technology, University of Maryland – Baltimore County, 1000 Hilltop Circle, Baltimore, MD 21250, USA

^cJet Propulsion Laboratory, California Institute of Technology, Pasadena, CA 91109, USA

*Presenting author (xi-chen-4@uiowa.edu)

Aerosol vertical distribution is one of the essential factors that influences the atmospheric radiative energy budget, cloud physics, and surface air quality. Because photons scattered by high-altitude aerosol layers travel a shorter path through the atmosphere than those scattered by low-altitude aerosols, they are less affected by O₂ absorption and as a consequence, many attempts have been made to retrieve aerosol layer height (ALH) from satellite observations in O₂ absorption bands. Examples include SCIAMACHY [1,2], GOME/GOME-2 [3], and EPIC on DSCOVR [4,5]. Building upon our earlier study about the sensitivity of polarized measurements in the O₂ A band to ALH [6], we analyze the capability and improvement of ALH retrieval when adding polarized measurements acquired at multiple view angles. The sensitivity of simulated radiances from our UNified and Linearized Vector Radiative Transfer Model [7] (<https://unl-vrtm.org>) to ALH at different viewing geometries are compared. After estimating the degree of freedom for signal (DFS), we find that more information regarding ALH can be obtained from multi-angle measurements than that from single-angle measurements. In this presentation, we will describe the contribution of multi-angle polarized measurements to ALH retrieval and quantify the improvement of ALH information along with the posterior error, as well as the comparison of polarized and unpolarized observations. We focus the analysis on the Multi-Angle Imager for Aerosols (MAIA) instrument, currently being built for launch in 2022, which will acquire multi-angle (unpolarized) O₂ A-band measurements, as well as on other near-future sensors that may have polarization capabilities in this band.

References

- [1] Kokhanovsky, A. A., and V. V. Rozanov, 2010: The determination of dust cloud altitudes from a satellite using hyperspectral measurements in the gaseous absorption band. *Int. J. Remote Sens.* **31**, 2729–2744.
- [2] Sanghavi, S., J. V. Martonchik, J. Landgraf, and U. Platt, 2012: Retrieval of the optical depth and vertical distribution of particulate scatterers in the atmosphere using O₂ A- and B-band SCIAMACHY observations over Kanpur: a case study. *Atmos. Meas. Tech.* **5**, 1099–1119.
- [3] Sanders, A. F. J., J. F. de Haan, M. Sneep, *et al.*, 2015: Evaluation of the operational aerosol layer height retrieval algorithm for SENTINEL-5 precursor: application to O₂ A band observations from GOME-2a. *Atmos. Meas. Tech.* **8**, 4947–4977.

- [4] Xu, X., J. Wang, Y. Wang, *et al.*, 2017: Passive remote sensing of altitude and optical depth of dust plumes using the Oxygen A and B bands: first results from EPIC/DSCOVR at Lagrange-1 point. *Geophys. Res. Lett.* **44**, 7544–7554.
- [5] Xu, X., J. Wang, Y. Wang, *et al.*, 2019: Detecting layer height of smoke aerosols over vegetated land and water surfaces via Oxygen absorption bands: hourly results from EPIC/DSCOVR in deep space. *Atmos. Meas. Tech.* **12**, 3269–3288.
- [6] Ding, S., J. Wang, and X. Xu, 2016: Polarimetric remote sensing in Oxygen A and B bands: sensitivity study and information content analysis for vertical profile of aerosols. *Atmos. Meas. Tech.* **9**, 2077–2092.
- [7] Wang, J., X. Xu, S. Ding, *et al.*, 2014: A numerical testbed for remote sensing of aerosols, and its demonstration for evaluating retrieval synergy from a geostationary satellite constellation of GEO-CAPE and GOES-R. *J. Quant. Spectrosc. Radiat. Transfer* **146**, 510–528.

Preferred mode of presentation: Oral/Poster