

This work was written as part of one of the author's official duties as an Employee of the United States Government and is therefore a work of the United States Government. In accordance with 17 U.S.C. 105, no copyright protection is available for such works under U.S. Law. Access to this work was provided by the University of Maryland, Baltimore County (UMBC) ScholarWorks@UMBC digital repository on the Maryland Shared Open Access (MD-SOAR) platform.

Please provide feedback

Please support the ScholarWorks@UMBC repository by emailing [scholarworks-group@umbc.edu](mailto:scholarworks-group@umbc.edu) and telling us what having access to this work means to you and why it's important to you. Thank you.

## 1 Appendix A Supplementary Data

### 3 ForestGEO Site-specific acknowledgements

5 **Ailaoshan:** The 20-ha Ailaoshan forest dynamics plot is a collaborative effort by Xishuangbanna  
6 Tropical Botanical Garden's Forest Ecology Group and the Ailaoshan Station for Subtropical  
7 Forest Ecosystem Studies. Many thanks to the research team Fan Zexin, Yang Xiaodong, Zhang  
8 Jiaolin, Wen Handong, Lin Luxiang, Yang Jie, Hu Yuehua, Song Xiaoyang, Sun Zhenghua, Lu  
9 Zhiyun, Luo Kang, Chen Si, Yan Qiaoshun, plot Principal Investigator, Cao Min, and many other  
10 technicians, students, and staff.

12 **Amacayacu:** The 25-ha Long-Term Ecological Research Project of Amacayacu is a collaborative  
13 project of the Instituto Amazónico de Investigaciones Científicas Sinchi and the Universidad  
14 Nacional de Colombia Sede Medellín, in partnership with the Unidad de Manejo Especial de  
15 Parques Naturales Nacionales and the Forest Global Earth Observatory of the Smithsonian  
16 Tropical Research Institute (ForestGEO). We acknowledge the Director and staff of the  
17 Amacayacu National Park for supporting and maintaining the project in this National Park as well  
18 as coworkers from the Palmeras Indigenous Community for their assistance in fieldwork.

20 **Badagongshan:** Work at Badagongshan was supported by the National Natural Science  
21 Foundation of China (31270562) and the Chinese Forest Biodiversity Monitoring Network  
22 (29200931131101919).

24 **Baishanzu:** The 25-ha Baishanzu forest dynamics plot was established with the cooperation of  
25 East China Normal University, Sun Yat-sen University, Zhejiang University, Wenzhou University,  
26 Lishui University and The BSZ Nature Reserve Management Department. Thank you to the field  
27 team Shuping Yang, Yixin Zhen, Dinyun Chen, Junjie Zhong, Yan Chen, Shuwen Ye, Ziyang  
28 Wang, Dinghan Huang, Chenyang Lou, and many other technicians, students, and staff, and to  
29 plot Principal Investigators Fangliang He and Minhua Zhang.

31 **Baotianman:** The 25-ha Baotianman forest dynamics plot was funded by the National Science  
32 and Technology Support Plan (2008BAC39B02), the State Key Laboratory of Vegetation and  
33 Environmental Change (LVEC2011zyts01), the Natural Science Foundation of China (31070554,  
34 31270642, 31370586), and the Biodiversity Committee of the Chinese Academy of Sciences.  
35 Thanks to hundreds of college students, graduate students, local workers, and researchers for their  
36 hard work. Thanks to State Key Laboratory of Vegetation and Environmental Change, Institute of  
37 Botany, the Chinese Academy of Sciences, Chinese Forest Biodiversity Monitoring Network,  
38 Henan Agricultural University, Nanyang Normal University, China University of Mining &  
39 Technology (Beijing), Pingdingshan University, and Baotianman National Nature Reserve for  
40 their cooperation and kind support.

42 **Barro Colorado Island:** The BCI forest dynamics research project was made possible by National  
43 Science Foundation grants to Stephen P. Hubbell: DEB-0640386, DEB-0425651, DEB0346488,  
44 DEB-0129874, DEB-00753102, DEB-9909347, DEB-9615226, DEB-9615226, DEB9405933,  
45 DEB-9221033, DEB-9100058, DEB-8906869, DEB-8605042, DEB-8206992, DEB7922197,  
46 support from the Forest Global Earth Observatory (ForestGEO), the Smithsonian Tropical

47 Research Institute, the John D. and Catherine T. MacArthur Foundation, the Mellon Foundation,  
48 the Small World Institute Fund, numerous private individuals, and through the hard work of over  
49 100 people from 10 countries over the past two decades.

50  
51 **Bidoup:** The Bidoup Forest Dynamics Plot was funded by the project TN3/T09 within the Vietnam  
52 National Key Programme KHCN-TN3/11-15 (Tay Nguyen Programme No. 3), Smithsonian  
53 Tropical Research Institute and Vietnam Ministry of Science and Technology through the  
54 Scientific and Technological Cooperation with the US Program.

55  
56 **Bukit Timah:** The Bukit Timah Dynamics Plot has been funded mainly by the National Institute  
57 of Education of Nanyang Technological University and the Smithsonian Tropical Research  
58 Institute.

59  
60 **Changbaishan:** Zhanqing Hao and Xugao Wang were supported by The National Key Research  
61 and Development Program of China (2016YFC0500302), National Natural Science Foundation of  
62 China (31570432 and 31370444), Key Research Program of Frontier Sciences, CAS (QYZDB-  
63 SSW-DQC002).

64  
65 **Cocoli:** The 4-ha Cocoli forest dynamics plot is supported by the Smithsonian Tropical Research  
66 Institute. Thank you to the plot Principal Investigators Richard Condit, Rolando Pérez, and  
67 Salomón Aguilar, and many field workers, students, technicians, and STRI staff.

68  
69 **Danum Valley:** The Danum plot is a core project of the Southeast Asia Rain Forest Research  
70 Partnership (SEARRP). We thank SEARRP partners, especially Yayasan Sabah, for their support,  
71 and HSBC Malaysia and the University of Zurich for funding. We are grateful to the research  
72 assistants who are conducting the census, in particular, the team leader Alex Karolus, and to Mike  
73 Bernados and Bill McDonald for species identifications. We thank Stuart Davies and Shameema  
74 Esufali for advice and training.

75  
76 **Daxing`angling:** The 25-ha Daxing`angling forest dynamics plot is supported by the Chinese  
77 Forest Biodiversity Monitoring Network and the Institute of Botany at the Chinese Academy of  
78 Sciences. Thank you to the research team Zhu Daoguang, Cui Fuxing, Chai Chunrong, and Li  
79 Jinbo, and plot Principal Investigator Ni Hongwei at the Institute of Natural Resources,  
80 Heilongjiang Academy of Sciences, as well as many other technicians, students, and staff.

81  
82 **Dinghushan:** The 20-ha Dinghushan forest dynamics plot is supported by the Chinese Forest  
83 Biodiversity Monitoring Network, the Chinese Academy of Sciences Institute of Botany, the  
84 Arnold Arboretum of Harvard University, and the Chinese Academy of Sciences South China  
85 Botanical Garden. We thank plot Principal Investigator Wanhui Ye, Professor of South China  
86 Botanical Garden, and the research team Huang Zhongliang, Cao Honglin, Lian Juyun, Bin Yue,  
87 and Wang Zhengfeng, and many other technicians, students, and support staff.

88  
89 **Doi Inthanon:** The 15-ha Doi Inthanon Forest Dynamics Plot is supported by Osaka City and  
90 Utsunomiya Universities (Japan), Kasetsart University (Thailand), and the Royal Thai Forest  
91 Department. Thank you to plot Principal Investigators Mamoru Kanzaki and Kriangsak Sri  
92 Ngernyuang, as well as many field crew members, research technicians, students, and staff.

93  
94 **Donglingshan:** The 20-ha Donglingshan Forest Dynamics Plot is supported by the Chinese  
95 Academy of Sciences Institute of Botany. Many thanks to plot Principal Investigators Weiguo  
96 Sang and Li Zhu, as well as many field workers, research technicians, students, and staff.

97  
98 **Fushan:** Fushan: The Fushan Forest Dynamics plot (FDP) is supported by the Taiwan Forestry  
99 Bureau, the Taiwan Forestry Research Institute and the Ministry of Science and Technology of  
100 Taiwan. We would like to express our gratitude to all field technicians and students who helped  
101 with the implementation and recensus of the Fushan FDP. We also thank the Fushan Research  
102 Center staff for providing logistic support.

103  
104 **Gutianshan:** We thank Dr Jianhua Chen for their contributions to the establishment and census  
105 of the 24-ha permanent forest plot. We gratefully acknowledge support from the Administration  
106 Bureau of Qianjiangyuan National Park.

107  
108 **Hainan:** This research was supported by the Central Public-Interest Scientific Institution Basal  
109 Research Fund (CAFYBB2017ZE001), National Nonprofit Institute Research Grant of CAF  
110 (CAFYBB2011004, RITFYWZX200902, RITFYWZX201204), National Natural Science  
111 Foundation of China (31290223, 41201192), State Forestry Administration of China (201104057).  
112 It was also supported by the Jianfengling National Key Field Research Station for Tropical Forest  
113 Ecosystem.

114  
115 **Haliburton:** The principal investigators graciously acknowledge the generosity of Haliburton  
116 Forest and Wildlife Reserve Ltd., in allowing the Principal Investigators to establish and maintain  
117 the Haliburton Forest Dynamics Plot (HFDP). The HFDP has been made possible through work  
118 of more than 30 census team members, with notable contributions from census team leaders and  
119 data managers Michael Drescher, Rajit Patankar, Jon Schurmann, and Leeladarshini Sujeeun. The  
120 HFDP is financially supported through Natural Sciences and Engineering Research Council of  
121 Canada (NSERC) Discovery Grants to both S.C. Thomas and A.R. Martin, and by a University of  
122 Toronto Connaught New Researcher Award to A.R. Martin.

123  
124 **Harvard Forest:** Funding for the Harvard ForestGEO Forest Dynamics Plot was provided by the  
125 Smithsonian Institution's Forest Global Earth Observatory (ForestGEO), the National Science  
126 Foundation's LTER program (DEB 06-20443 and DEB 12-37491), and Harvard University.  
127 Thanks to many field technicians who helped census the plot. Jason Aylward was instrumental as  
128 a field supervisor and with data screening and database management. Thanks to John Wisnewski  
129 and the woods crew at HF for providing materials, supplies, and invaluable field assistance with  
130 plot logistics. Joel Botti and Frank Schiappa provided survey expertise to establish the 35-ha plot.  
131 Special thanks to Stuart Davies and Rick Condit for field training, database assistance, and plot  
132 advice. Sean McMahon and Suzanne Lao were extremely helpful with field planning, data  
133 questions, and many plot logistics. Thanks to Jeannette Bowlen for administrative assistance and  
134 to Emery Boose and Paul Siqueira for help with plot coordinates. Thanks also to David Foster for  
135 his support and assistance with plot design, location, and integration with other long-term studies  
136 at HF.

137

138 **Heishiding:** The Heishiding forest plot was partly financially supported by the National Natural  
139 Science Foundation of China (31925027, 31622014 and 31570426 to Chengjin Chu).

140  
141 **Hong Kong:** We thank HSBC for funding the plot and the Policy for Sustainability Lab, Faculty  
142 of Social Sciences, HKU for coordinating the project.

143  
144 **Huai Kha Khaeng:** We thank the many people who helped to create the permanent research plot  
145 in Huai Kha Khaeng. The administrative staff of Huai Kha Khaeng Wildlife Sanctuary helped with  
146 logistical problems of the plots on many occasions. The Huai Kha Khaeng 50-hectare plot project  
147 has been financially and administratively supported by many institutions and agencies. Direct  
148 financial support for the plot has been provided by the Royal Thai Forest Department and the  
149 National Parks Wildlife and Plant Conservation Department, the Arnold Arboretum of Harvard  
150 University (under NSF award #DEB-0075334, and grants from USAID and the Rockefeller  
151 Foundation), the Smithsonian Tropical Research Institute, and the National Institute for  
152 Environmental Studies, Japan. We acknowledge the Royal Thai Forest Department for supporting  
153 and maintaining the project in Huai Kha Khaeng Wildlife Sanctuary, Thailand.

154  
155 **Ilha do Cardoso:** The 10-ha Ilha do Cardoso Forest Dynamics Plot was established with support  
156 from the project Parcelas Permanente São Paulo (PPSP, BIOTA-FAPESP) and the Universidade  
157 de São Paulo. Thank you to the plot Principal Investigator Alexandre Adalardo de Oliveira and  
158 many field workers, research and data technicians, and staff.

159  
160 **Indian Cave:** The Nebraska Game and Parks has been an important partner in the establishment  
161 of the Indian Cave plot. Funding was provided by the University of Nebraska-Lincoln and  
162 Jacqueline Mars.

163  
164 **Ituri (Edoro and Lenda):** The Ituri 40-ha plot program is a collaborative project between the  
165 Centre de Formation et de Recherche en Conservation Forestière and the Wildlife Conservation  
166 Society–DRC, in partnership with the Forest Global Earth Observatory (ForestGEO) of the  
167 Smithsonian Tropical Research Institute. The Ituri plots are financially supported by the Wildlife  
168 Conservation Society, the Frank Levinson Family Foundation, and the Smithsonian Forest Global  
169 Earth Observatory. The Institut Congolais pour la Conservation de la Nature graciously provided  
170 the research permit.

171  
172 **Kenting:** The 2008 tree census was funded by a grant to SHW from the Council of Agriculture  
173 grant, Taiwan.

174  
175 **Khao Chong:** We thank the many people who helped to create the permanent research plot in  
176 Khao Chong. The administrative staff of Khao Chong Botanical Garden helped with logistical  
177 problems of the plots on many occasions. Direct financial support for the plot has been provided  
178 by the people of Thailand through the Royal Forest Department (1991-2003) and the National  
179 Parks Wildlife and Plant Conservation Department since 2003, the Arnold Arboretum of Harvard  
180 University, the Smithsonian Tropical Research Institute, and the National Institute for  
181 Environmental Studies, Japan, as well as grants from the US National Science Foundation (grant  
182 #DEB-0075334 to P.S. Ashton and S.J. Davies), US-AID (with the administrative assistance of  
183 WWF-USA), and the Rockefeller Foundation. Administrative support has been provided by the

184 Arnold Arboretum, the Harvard Institute for International Development, the Royal Forest  
185 Department, and the National Parks Wildlife and Plant Conservation Department. In addition,  
186 general support for the ForestGEO program has come from the Arnold Arboretum of Harvard  
187 University, the Smithsonian Tropical Research Institute, the John D. and Catherine T. MacArthur  
188 Foundation, Conservation, Food and Health, Inc., and the Merck Foundation. All of these  
189 organizations are gratefully acknowledged for their support.

190  
191 **Korup:** The 50-ha Korup Forest Dynamics Plot is affiliated with the Smithsonian's Forest Global  
192 Earth Observatory (ForestGEO). The 3 principal investigators gratefully acknowledge funding and  
193 other support received from ForestGEO for our first and second censuses. Funding from the  
194 Botanical Research Foundation of Idaho is also gratefully acknowledged. Permission to conduct  
195 the field program in Cameroon is provided by the Ministry of Environment and Forests and the  
196 Ministry of Scientific Research and Innovation. We also acknowledge the dedicated support of our  
197 field team, especially field leadership by Sainge Nsanyi Moses and botanical work by Ekole  
198 Mambo Peter.

199  
200 **Kuala Belalong:** Funding for the 25 ha Kuala Belalong Forest Dynamics Research Plot was  
201 provided by HSBC-Brunei Darussalam, Smithsonian's ForestGEO, and Universiti Brunei  
202 Darussalam. We also acknowledge support from Heart of Borneo (HOB)-Brunei Darussalam,  
203 Brunei Forestry Department, and the Kuala Belalong Field Studies Centre

204  
205 **La Planada:** The 25-ha is a collaborative project between the Instituto de Investigación de  
206 Recursos Biológicos Alexander von Humboldt and the Forest Global Earth Observatory  
207 (ForestGEO) of the Smithsonian Tropical Research Institute. We especially thank Martha Isabel  
208 Vallejo and Cristian Samper, who made this project possible. For more information on La Planada,  
209 visit: [http://i2d.humboldt.org.co/ceiba/resource.do?r=planada\\_parcelapermanente\\_censo1](http://i2d.humboldt.org.co/ceiba/resource.do?r=planada_parcelapermanente_censo1)

210  
211 **Lambir:** The 52-ha Long-Term Ecological Research Project is a collaborative project of the Forest  
212 Department of Sarawak, Malaysia, the Forest Global Earth Observatory (ForestGEO) of the  
213 Smithsonian Tropical Research Institute, the Arnold Arboretum of Harvard University, USA  
214 (under NSF awards DEB-9107247 and DEB-9629601), and Osaka City, Ehime & Kyoto  
215 Universities, Japan (under Monbusho/JSPS Kakenhi grants 06041094, 08NP0901, 09NP0901,  
216 26304027, and 17H04602). We acknowledge the Sarawak Forest Department for supporting and  
217 maintaining the project in Lambir Hills National Park.

218  
219 **Laupahoehoe and Palamanui:** The Hawai'i Permanent Plot Network thanks the USFS Institute  
220 of Pacific Islands Forestry (IPIF) and the Hawai'i Division of Forestry and Wildlife/Department  
221 of Land and Natural Resources for permission to conduct research within the Hawai'i  
222 Experimental Tropical Forest; the Palāmanui Group, especially Roger Harris, for access to the  
223 lowland dry forest site. We thank the Smithsonian Tropical Research Institute's Forest Global  
224 Earth Observatory (ForestGEO), the University of California, Los Angeles, the Pacific Southwest  
225 Research Station of the USFS, the University of Hawai'i, and NSF EPSCoR Grants No. 0554657  
226 and No. 0903833 for support.

227

228 **Lienhuachih:** The Taiwan Forestry Research Institute, Taiwan Forestry Bureau, Taiwan Academy  
229 of Ecology, Tunghai University (Taiwan), and the Forest Global Earth Observatory (ForestGEO)  
230 of the Smithsonian Tropical Research Institute.

231  
232 **Lilly Dickey Woods:** Funding for the Lilly Dickey Woods Forest Dynamics Plot was provided by  
233 the Indiana Academy of Sciences, Indiana University Research and Teaching Preserve, and the  
234 Smithsonian Institution's Forest Global Earth Observatory (ForestGEO).

235  
236 **Luquillo:** This research was supported by grants BSR-8811902, DEB 9411973, DEB 0080538,  
237 DEB 0218039, DEB 0620910, DEB 0963447, DEB-129764, DEB-1546686 AND DEB-1831952  
238 from NSF to the Department of Environmental Science, University of Puerto Rico, and to the  
239 International Institute of Tropical Forestry, USDA Forest Service, as part of the Luquillo Long-  
240 Term Ecological Research Program. The U.S. Forest Service (Dept. of Agriculture) and the  
241 University of Puerto Rico gave additional support. The LFDP has also been supported by the  
242 Andrew Mellon foundation and the Smithsonian Institution Forest Global Earth Observatory.

243  
244 **Manaus:** The Manaus plot is part of the Biological Dynamics of Forest Fragments Project  
245 (BDFFP) of the National Institute for Amazonian Research (INPA). We thank ForestGEO for all  
246 the funding and support over the years and for the understanding of the complications of  
247 implementing a large scale plot in a hyperdiverse forest. We thank BDFFP for all the logistical  
248 support for conducting field work, and for supporting key team members. We thank João Batista  
249 da Silva, our field team leader, and the many students that have participated in data gathering and  
250 in the challenging endless process of plant identification. Funding for work at the Manaus site has  
251 also been provided by FAPEAM (Fundação de Ampara à Pesquisa do Estado do Amazonas,  
252 Brazil) and by CNPq (Conselho Nacional de Desenvolvimento Científico e Tecnológico, Brazil).  
253 This is publication 803 in the Biological Dynamics of Forest Fragments Project technical series.

254  
255 **Michigan Big Woods:** We would like to thank the University of Michigan and Middlebury  
256 College students who have helped with all of the censuses of the Big Woods Plot. These censuses  
257 were supported by the Edwin S. George Reserve Fund, a USDA McIntyre-Stennis Grant, and the  
258 Middlebury College Millennium Fund.

259  
260 **Mo Singto:** The 30.5-ha Mo Singto Forest Dynamics Plot is supported by Mahidol University,  
261 National Center for Genetic Engineering and Biotechnology, National Science and Technology  
262 Development Agency, and Thai Ministry of Natural Resources and Environment. Many thanks to  
263 plot Principal Investigators Anuttara Nathalang and Warren Y. Brockelman, and to countless field  
264 workers, research and data technicians, and staff.

265  
266 **Mpala:** The 120-ha Mpala plot is a collaborative project of the National Museums of Kenya, the  
267 Kenya Wildlife Service, and the Mpala Wildlife Foundation, in partnership with the Forest Global  
268 Earth Observatory of the Smithsonian Tropical Research Institute. Funding for the first census was  
269 provided by the Forest Global Earth Observatory.

270  
271 **Mudumalai:** Funding was received from the Ministry of Environment, Forest and Climate  
272 Change, Government of India and the Department of Biotechnology, Government of India.

273

274 **Nanjenshan:** The Nanjenshan plot has been supported by the Taiwan Forestry Bureau, Kenting  
275 National Park, the National Science Council of Taiwan, and the Forest Global Earth Observatory  
276 (ForestGEO) of the Smithsonian tropical Research Institute.

277  
278 **Ngardok:** The Ngardok 4-ha plot is the first forest dynamics monitoring plot in Palau, establishing  
279 the Palau-Pacific Island Permanent Plot Network (PIPPNET). PIPPNET is a collaboration of the  
280 USDA Forest Service, Institute of Pacific Islands Forestry, Palau Forestry under the Ministry of  
281 Natural Resources, Environment and Tourism, and the Ngardok Nature Reserve of Melekeok  
282 State. Many thanks to the plot Principal Investigators Susan Cordell, Christian Giardina, and  
283 Amanda Uowolo, as well as countless field workers, data and research technicians, and staff.

284  
285 **Ngel Nyaki:** The 20.28-ha Ngel Nyaki forest dynamics plot was initiated by the Nigerian Montane  
286 Forest Project (NMFP) under the directorship of Associate Professor Hazel Chapman from the  
287 University of Canterbury in New Zealand. The establishment of the plot was made possible by a  
288 significant donation received from Retired General T.Y. Danjuma, whose home is Taraba State.  
289 Support for the plot has been received from the Taraba State Forest Service, New Zealand Chester  
290 Zoo, The A.G. Leventis Foundation, and Nexen Nigeria. Many thanks to plot Principal  
291 Investigators David Kenfack, Hazel Chapman, and Iveren Abiem, as well as countless field  
292 workers, data and research technicians, and support staff.

293  
294 **Niobrara:** The Niobrara Valley Preserve of the Nature Conservancy has been an important partner  
295 in the establishment of the Niobrara plot. Funding was provided by the University of Nebraska-  
296 Lincoln and Jacqueline Mars.

297  
298 **Nonggang:** We appreciate the researchers from the Guangxi Institute of Botany, Chinese Academy  
299 of Sciences for their contributions to the establishment and census of the 15-ha Nonggang karst  
300 forest plot. They are Wusheng Xiang, Bin Wang, Tao Ding, Shuhua Lu, Fuzhao Huang, Wenheng  
301 Han, Lanjun He, Qingbai Lu, Dongxing Li, respectively. We also thank many volunteers in the  
302 field work from the College of Life Science, Guangxi Normal University. We acknowledge the  
303 support from the Administration Bureau of the Nonggang National Nature Reserve.

304  
305 **Ordway Swisher:** The Ordway Swisher 23.04-ha Forest Dynamics Plot is supported by the  
306 University of Florida Institute of Food and Agricultural Sciences and the USDA National Institute  
307 of Food and Agriculture McIntire Stennis projects #1007080 and #1018790. We thank the Ordway  
308 Swisher Biological Station for logistical support and students and volunteers for data collection.

309  
310 **Palanan:** Funding since 2010 has been provided by the Biodiversity Research Laboratory, Institute  
311 of Biology, University of the Philippines Diliman (BRL UP Biology), University of the Philippines  
312 Office of the Vice President for Academic Affairs under the Emerging Interdisciplinary  
313 Developing Research Program (EIDR), the University of the Philippines Diliman Office of the  
314 Vice Chancellor for Research and Development (UPD OVCRD), the Commission on Higher  
315 Education (CHED), the Department of Science and Technology Philippine Council for  
316 Agriculture, Aquatic Resources Research and Development (DOSTPCAARRD), the Energy  
317 Development Corporation (EDC), the Forest Foundation Philippines, the Diliman Science  
318 Research Foundation, and the Smithsonian Tropical Research Institute (STRI). Permits to work in  
319 the Northern Sierra Madre Natural Park were issued by its Protected Area Management Board



320 (PAMB) through the cooperation of Biodiversity Management Bureau's Department of  
321 Environment and National Resource (BMB-DENR), Local Government of Palanan, Isabela. The  
322 plot was established by the Isabela State University (Philippines), Conservation International,  
323 PLAN, and the Arnold Arboretum of Harvard University (USA).

324  
325 **Pasoh:** The 50-ha forest plot at Pasoh FR is an ongoing project of the Malaysian Government,  
326 directed by the Forest Research Institute Malaysia through its Director-General, Dr Khali Aziz bin  
327 Hamzah. The project was initiated under the leadership of Drs. N. Manokaran, P. S. Ashton and  
328 S. P. Hubbell. The project is now a collaboration of the Forest Research Institute Malaysia and  
329 ForestGEO of the Smithsonian Tropical Research Institute. The late Dr. K. M. Kochummen, while  
330 on a fellowship at STRI, supervised the species identification and personally examined all trees  
331 over 10 cm DBH. Funds for the project are gratefully acknowledged from: the National Science  
332 Foundation, USA (BSR Grant No. INT-84-12201 to Harvard University through Drs. P. S. Ashton  
333 and S. Hubbell), Conservation, Food and Health Foundation, Inc., USA, the United Nations,  
334 through the Man and the Biosphere program (UNESCO-MAB grant Nos. 217.651.5, 217.652.5,  
335 243.027.6, 213.164.4, and also UNESCO-ROSTSEA grant No. 243.170.6), the Center for Tropical  
336 Forest Science-Arnold Arboretum Asia  
337 Program at Harvard University, USA, and the National Institute for Environmental Studies, Japan.

338  
339 **Rabi:** The Rabi 25-ha plot is a collaborative project of the National Center for Scientific and  
340 Technical Research (CENAREST) in Gabon, the Center for Conservation and Sustainability  
341 (CCS) of the Smithsonian Conservation Biology Institute (SCBI) and the Forest Global Earth  
342 Observatory (ForestGEO) of the Smithsonian Tropical Research Institute. Funding for the first  
343 census was provided by Shell Gabon (and now Assala Gabon), ForestGEO, and SCBI. Permission  
344 to conduct the field program in Gabon is provided by CENAREST. The plot is located in a  
345 conservation area of between a forest concession of the Compagnie des Bois du Gabon (CBG) and  
346 Assala oil company.

347  
348 **San Lorenzo:** The 5.96-ha San Lorenzo forest dynamics plot is supported by the Smithsonian  
349 Tropical Research Institute. Thank you to the plot Principal Investigators Richard Condit, Rolando  
350 Pérez, and Salomón Aguilar, and many field workers, technicians, and STRI staff.

351  
352 **Santa Cruz:** The UCSC Forest Ecology Research Plot was made possible by National Science  
353 Foundation grants to Gregory S. Gilbert (DEB-0515520, DEB-084259, and DEB-1655896), by  
354 the Pepper-Giberson Chair Fund, the University of California, and the hard work of hundreds of  
355 UCSC students.

356  
357 **Scotty Creek:** The Scotty Creek plot establishment was supported by funds to JLB from the  
358 Canada Foundation for Innovation, Ontario Ministry of Research and Innovation, and Canadian  
359 Foundation for Climate and Atmospheric Sciences. We are grateful to Rajit Patankar and Cory  
360 Wallace for their leadership in plot establishment and the hard work of many field assistants.

361  
362 **Sinharaja:** The authors gratefully acknowledge the permission given to work in Sinharaja World  
363 Heritage Site by the Forest Department of Sri Lanka, as well as the generous financial assistance  
364 given to set up the plot and for censuses by the Forest Global Earth Observatory (ForestGEO) of

365 the Smithsonian Tropical Research Institute. We gratefully acknowledge logistical support from  
366 Uva Wellassa University, University of Peradeniya and Yale University.

367  
368 **Smithsonian Conservation Biology Institute:** Funding for the Smithsonian Conservation  
369 Biology Institute (SCBI) large forest dynamics plot was provided by the Smithsonian Institution  
370 (Forest Global Earth Observatory and the National Zoological Park), and the HSBC Climate  
371 Partnership. We especially thank the numerous technicians, interns, and volunteers of the  
372 Conservation Ecology Center at the SCBI who were essential in assisting with plot establishment  
373 and data collection. Support for the original exclosure fence installation was provided by the  
374 Friends of the National Zoo and Earthwatch Foundation.

375  
376 **Smithsonian Environmental Research Center:** Smithsonian Environmental Research Center,  
377 Earthwatch Institute.

378  
379 **Speulderbos:** The 27-ha Speulderbos forest dynamics plot is supported by Wageningen  
380 University. Many thanks to plot Principal Investigators Jan den Ouden and Patrick Jansen, as well  
381 as countless field workers, data and research technicians, and support staff.

382  
383 **Tiantongshan:** The 20-ha Tiantongshan Forest Dynamics Plot is supported by East China Normal  
384 University. Thank you to Principal Investigator Wang Xihua, professor at East China Normal  
385 University, and to the research team Chen Xiaoyong, Yan Enrong, Yang Haibo, Shen Guochun,  
386 Yang Qionsong, Zheng Zemei, Yao Fangfang, and many others.

387  
388 **Traunstein:** The establishment of the plot (2005) has been supported by the Helmholtz Alliance  
389 “EDA “Remote Sensing and Earth System Dynamics” funded by the Helmholtz Association of  
390 German Research Centres. The Traunstein forest megaplot was realized in a cooperation between  
391 Technical University Munic (Freising), Helmholtz Centre for Environmental Research - UFZ  
392 (Leipzig) and German Aerospace Centre (DLR, Oberpaffenhofen).

393  
394 **Tyson Research Center:** The Tyson Research Center Forest Dynamics Plot (TRCP) is supported  
395 by Washington University in St. Louis' Tyson Research Center. Funding was provided by the  
396 International Center for Advanced Renewable Energy and Sustainability (I-CARES) at  
397 Washington University in St. Louis, the National Science Foundation (DEB 1557094), and the  
398 Tyson Research Center. We thank the Tyson Research Center staff for providing logistical support,  
399 and the more than 100 high school students, undergraduate students, and researchers that have  
400 contributed to the project.

401  
402 **University of Maryland, Baltimore County:** The two UMBC 6.25-ha forest dynamics plots are  
403 supported by University of Maryland, Baltimore County. Thank you to plot Principal Investigators  
404 Mathew Baker and Erle C. Ellis, as well as many field workers, research and data technicians, and  
405 support staff.

406  
407 **Utah Forest Dynamics Plot:** The Utah Forest Dynamics Plot is a collaborative project of Utah  
408 State University and the Utah Agricultural Experiment Station. We thank Cedar Breaks National  
409 Monument for providing logistical support, and the students, volunteers and staff individually  
410 listed at <http://ufdp.org> for data collection.

411  
412 **Wabikon:** The Wabikon Lake Forest Dynamics Plot, located in the Chequamegon-Nicolet  
413 National Forest of northern Wisconsin, is part of the Smithsonian Institution's ForestGEO  
414 network. Tree censuses at the site have been supported by the 1923 Fund, the Smithsonian Tropical  
415 Research Institute, and the Cofrin Center for Biodiversity at the University of Wisconsin-Green  
416 Bay. More than 50 scientists and student assistants contributed to the first two plot censuses. We  
417 are particularly grateful for the leadership of Gary Fewless, Steve Dhein, Kathryn Corio, Juniper  
418 Sundance, Cindy Burtley, Curt Rollman, Mike Stiefvater, Kim McKeefry, and U.S. Forest Service  
419 collaborators Linda Parker and Steve Janke.

420  
421 **Wanang:** The 50-ha Wanang Forest Dynamics Plot is a collaborative project of the New Guinea  
422 Binatang Research Center, the Forest Global Earth Observatory (ForestGEO) of the Smithsonian  
423 Tropical Research Institute, the Forest Research Institute of Papua New Guinea, the Czech  
424 Academy of Sciences, and the University of Minnesota. It has received financial support from the  
425 US National Science Foundation (DEB-0816749), the Czech Science Foundation (20-17282S),  
426 the Swire & Sons Ltd., Darwin Initiative for the Survival of Species (DIR25S1\100123), and the  
427 Christensen Foundation. We acknowledge the government of Papua New Guinea and the  
428 customary landowners of Wanang for supporting and maintaining the plot.

429  
430 **Wind River:** The Wind River Forest Dynamics Plot is a collaborative project of Utah State  
431 University and the Utah Agricultural Experiment Station. Funding has been provided by the Forest  
432 Global Earth Observatory (ForestGEO) of the Smithsonian Tropical Research Institute, Utah State  
433 University, the National Science Foundation (1542681), and the Utah Agricultural Experiment  
434 Station. We acknowledge the Gifford Pinchot National Forest and the Wind River Field Station  
435 for providing logistical support, and the students, volunteers and staff individually listed at  
436 <http://wfdp.org> for data collection. The Wind River Forest Dynamics Plot was made possible by a  
437 grant from Jennifer Walston Johnson to the Smithsonian ForestGEO.

438  
439 **Wytham Woods:** The 18-ha Long-Term Forest Monitoring Plot is a collaborative project between  
440 the University of Oxford, the Centre for Ecology and Hydrology, and the Smithsonian Institution  
441 (ForestGEO) through the HSBC Climate Partnership.

442  
443 **Xishuangbanna:** This research was supported by the National Science Foundation of China  
444 (31570380, 31300358), the Natural Science Foundation of Yunnan Province (2015FB185), the  
445 Southeast Asia Biodiversity Research Institute, Chinese Academy of Sciences  
446 (2016CASSEABRIQG002).

447  
448 **Yasuní:** We gratefully acknowledge the professional help of numerous biologists and field  
449 collaborators of the Yasuní forest dynamics plot, particularly Álvaro Pérez, Pablo Alvia and  
450 Milton Zambrano, who provided invaluable expertise on plant taxonomy. Consuelo Hernández  
451 organized the data and improved its quality. Pontificia Universidad Católica del Ecuador (PUCE)  
452 and STRI co-financed the first two censuses of the plot. The third census was financed with funds  
453 of the Government of Ecuador and PUCE. Seed traps and seedling plots are monitored for over 10  
454 years thanks to STRI and two awards from the NSF program LTREB (DBI 0614525 and 1122634).  
455 STRI also sponsored the Carbon Dynamics Initiative. This study was endorsed by the Ministerio

456 de Ambiente del Ecuador permits MAE: No 004-2012-IC-FLO-MAE-DPO, 09-FLOMA-DPO-  
457 PNY and 06-2011-FAU-DPAP.

458

459 **Yosemite:** The Yosemite Forest Dynamics Plot is a collaborative project of Utah State University,  
460 the University of Montana, and Washington State University. Funding was provided by the Forest  
461 Global Earth Observatory (ForestGEO) of the Smithsonian Tropical Research Institute, Utah State  
462 University, the National Park Service and the Joint Fire Science Program (16-1-04-2). We thank  
463 Yosemite National Park for providing logistical support, and the students, volunteers, and staff  
464 individually listed at <http://yfdp.org> for data collection. The Yosemite Forest Dynamics Plot was  
465 made possible by a grant from Jennifer Walston Johnson to the Smithsonian ForestGEO.

466

467 **Žofin:** We acknowledge the Department of Forest Ecology of the Silva Tarouca Research Institute  
468 and all the Blue Cat Research Team for maintaining the long-term monitoring of the Žofin Forest  
469 Dynamics Plot. Funding was provided by Czech Science Foundation (20-17282S) and the Czech  
470 Ministry of Education, Youth and Sports (LTAUSA 18200). The Žofin Forest Dynamics Plot was  
471 made possible by the support of the Smithsonian Institution (ForestGEO).

472

473