

This item may be protected under Title 17 of the U.S. Copyright Law. It is made available by UMBC for non-commercial research and education. For permission to publish or reproduce, please contact the author.

Access to this work was provided by the University of Maryland, Baltimore County (UMBC) ScholarWorks@UMBC digital repository on the Maryland Shared Open Access (MD-SOAR) platform.

Please provide feedback

Please support the ScholarWorks@UMBC repository by emailing scholarworks-group@umbc.edu and telling us what having access to this work means to you and why it's important to you. Thank you.

Accelerating Parameter Sweep Workflows by Utilizing Ad-hoc Network Computing Resources: an Ecological Example

Jianwu Wang¹, Ilkay Altintas¹, Parvies R. Hosseini²,
Derik Barseghian², Daniel Crawl¹, Chad Berkley³, Matthew B. Jones³

¹ *San Diego Supercomputer Center, UCSD, U.S.A.*

² *The Consortium for Conservation Medicine, Wildlife Trust, U.S.A.*

³ *National Center for Ecological Analysis and Synthesis, UCSB, U.S.A.*



Outline


- Introduction
- Theoretical Ecology Use Case
- Background
 - Kepler
 - Master-Slave Architecture
- Our Approach
 - Distributed Composite Actor
 - Provenance Collection
- Results
- Conclusion and Future Work

Introduction

- Many scientific computing problems have linear or greater time complexity based on parameter configuration ranges
- Domain scientists should be able to easily leverage distributed computing resources with little knowledge of the underlying techniques
- We will discuss a distributed execution framework, called Master-Slave Distribution, to distribute sub-workflows to ad-hoc network computing resources



Theoretical Ecology Use Case



- **Characteristics of the use case**

- Parameter Sweep: independent multiple execution, i.e., “embarrassingly parallel problems”
- Smooth Transition of Computation Environments
- Partial Workflow Distribution
- Provenance Collection

Background – Kepler


- **Actor-oriented Modeling**

- All these actors inherit the same interfaces, such as *prefire()*, *fire()* and *postfire()*

- **Model of Computation**


- Synchronous Data Flow (SDF) director: actors execute sequentially
- Process Network (PN) director: each actor has its own execution thread and execute in parallel

Background – Conceptual Architecture for Workflow Distributed Execution




Our Approach – Distributed Composite Actor

- As the role of Master, each token received by this Actor is distributed to a Slave node, executed, and the results returned.
- Different behavior with different computation models



Our Approach – Provenance Collection

- By collecting workflow structure and executions, our provenance framework make it easier for users to track data files for large parameter sweeps
- It can be configured to support centralized or decentralized provenance information recording




A High-Level Distributed Execution Framework for Scientific Workflows




Results – Usability

- Users use the DistributedCompositeActor just like the common composite actor
- Interaction for execution environment transition



Results – Experiment

Parameters	Execution Time (minutes)			
	SDF locally	PN locally	SDF Master-Slave	PN Master-Slave
$b=<0.1, 0.2, 0.3, 0.4>$, $d=<2.5, 3.5>$, $X=3, Y=3, E=4$	0.39	0.35	0.60	0.52
$b=<0.1, 0.2, 0.3, 0.4>$, $d=<2.5, 3.5>$, $X=8, Y=8, E=30$	32.21	32.24	19.05	9.38
$b=<0.1, 0.2, 0.3, 0.4>$, $d=<2.5, 3.5>$, $X=16, Y=16, E=30$	502.2	510	309	147
Testbed Constitution				
	OS	Memory	CPU	
Notebook	Window XP	2 GB	2.00 GHz Duo Core	
Desktop	Mac OS X	2 GB	2.80 GHz Duo Core	



Conclusion and Future Work

- **A distributed execution framework in the Kepler**
 - Distribute sub-workflows to ad-hoc network computing resources
 - Applicable to parameter sweep applications to realize parallel independent execution
- **Future Work**
 - Generalize for Cluster, Grid, and Cloud platforms.
 - Categorize different distributed approaches in Kepler to match different requirements

-
- Thanks!
 - For More Information:
 - Distributed Execution Interest Group of Kepler:
<https://dev.kepler-project.org/developers/interest-groups/distributed>
 - Contact: jianwu@sdsc.edu